


**RAPTOR**

# ADJUSTABLE PEDESTALS

FOR WOODEN OR COMPOSITE DECKING





# RAPTOR

## RAPTOR SERIES

### FOR JOISTS


FOR  
ALUMINIUM



FOR  
WOODEN




FOR  
COMPOSITE



# RAPTOR SERIES

## 15-245 MM

A new generation of wedge adjustable height pedestals for use under joists.



Raptor S  
15-35 mm



Raptor M  
35-65 mm



Raptor L  
65-95 mm



Raptor XL  
95-125 mm



### FASTER ASSEMBLY

The simple design of the locator for side mounting of the joists significantly reduces installation times.



### STRENGTH

Load capacity 1000 kg\*



### PRECISION OF REGULATION

Stepped height adjustment every ~1 mm



### UNIVERSAL

For outdoor terraces and indoor floors under aluminium, composite and wooden joists.



### LOW HEIGHTS


Adjustment range from 15 mm




### SLOPE CORRECTOR

Smooth slope regulation to 7%

\* Detailed values for individual heights are given in the technical specification.





# RAPTOR



Raptor XL1  
125-155 mm



Raptor XL2  
155-185 mm



Raptor XL3  
185-215 mm



Raptor XL4  
215-245 mm



FOR JOISTS

**MANUAL**  
Find out more on the website  
[www.ddgro.eu/adjustable-deck-supports](http://www.ddgro.eu/adjustable-deck-supports)




## Basic elements set

### Wedge S

Can only be connection with bottom wedge S.

### Bottom wedge S

To be connection with wedge S and with supplementary elements if required.



### Wedge M / L / XL

To be connection with wedge L.

### Bottom wedge L

Connected to one of the M, L or XL wedges, it creates adjustable pedestals with various adjustment ranges. It can be combined with complementary elements as needed.

### Wedge raiser 30 mm

Raises the adjustable pedestals. It can be connection with other bottom wedge, maximum 4 pcs in one adjustable pedestals.

## Elements extending the possibilities of using the system:



### Protection pad

For use on sensitive surfaces such as roofing felt, XPS, waterproofing, etc.



### Slope corrector


Necessary on surfaces with significant slopes. It compensates for a 7% slope.




### Sound reduction pad

It creates additional sound insulation and increases the comfort of using the terrace or the floor.

## Thoughtful and refined design



Easy and quick installation thanks to the adjustable pedestals for the side mounting of the joists.




High support stability is ensured by the largest sizes of the ottom wedge and the wedge on the market.




Recommended on surfaces with significant slopes.



Easy stiffening of the adjustable pedestals by means of screws in prepared mounting holes.



All elements of the system have mounting holes and water drainage holes.



Mounting holes for optional attachment to the ground.



**DD GROUP**  
INNOVATIVE PRODUCTS

[www.ddgro.eu](http://www.ddgro.eu)  
[sales@ddgro.eu](mailto:sales@ddgro.eu)

DECK-DRY Polska Sp. z o. o.  
80-299 Gdańsk, ul. Wenus 73A, Poland  
phone. [+48] 58 511 04 31  
mobile phone. [+48] 517 062 150

100%  
MADE IN POLAND  
PRODUCER

