

# TECHNICAL DATA SHEET

## PIN SBR

SBR interlocking pin

---

### BASIC INFORMATION

<b>Product name</b>	SBR interlocking pin
<b>Trade name</b>	PIN SBR
<b>Product group</b>	Accessories
<b>Application</b>	SBR pads
<b>Code</b>	10240



### FEATURES



- For joining SBR tiles.
- 800 pieces.
- Prevents SBR pads shifting and creating gaps.

### DESCRIPTION

SBR pads are most commonly used in playgrounds. The surface made of them cushions falls and prevents serious abrasions. DD GROUP offers connectors for SBR pads. Mounting pegs are used to strengthen the connection between the pads. Thanks to this solution, the pads do not move and no gap is formed between them.

## PARAMETERS

Dimensions	63 x 9,8 mm
Weight	0,025 kg 0.055 lbs
Operating temperature	-20°C; +65°C -4°F; +149°F
Color	Black
Material	Certified plastic PP




## APPLICATION

- SBR pads.

## EXAMPLE OF USAGE

### SBR pads



## USAGE

Mounting pegs are installed easily. Simply place the mounting peg in the holes of the tiles and connect them together. If the tile does not have a pre-made hole, you should make a hole in the pad.

## DATA LOGISTICS

Product	Type	Size	Quantity	Weight netto
PIN SBR	Carton box	60 x 50 x 40 cm (23 2/3" x 19 2/3" x 15 3/4")	12 000 pcs.	32,48 kg (71.61 lbs)
	Pallet	120 x 100 x 220 cm (47 1/4" x 39 1/2" x 86")	240 000 pcs.	650 kg (1 433 lbs)

## EXAMPLE OF APPLICATION

