

TECHNICAL DATA SHEET

OT

Lawn edging - black

BASIC INFORMATION

Product name	Lawn edging - black
Trade name	OT
Product group	Lawn edging
Application	Finishing of garden areas
Code	104361



FEATURES



- Aesthetic finishing of garden areas.
- Universal and durable.
- Possibility of installation on arches and circles.
- Easy installation.

DESCRIPTION

Garden edges are used for aesthetically finishing garden areas. The universal height allows for the use of edges in any green space. They are resistant to chemicals and the effects of UV rays. They fit any height of paving stones or slabs. There is the possibility of optional finishing of the edges with metal overlays (galvanized, stainless steel, and corten). The material from which the edges are made allows for bending in the horizontal plane. Thanks to this solution, it is possible to install edges on curves, circles, and other non-standard shapes.

PARAMETERS

Dimensions	1000 x 100 x 20 mm 39 1/2" x 15 3/4" x 7 7/8"
Weight	0,321 kg 0.707 lbs
Operating temperature	-20°C; +65°C -4°F; +149°F
Color	Black
Material	Certified plastic PP




APPLICATION

- Finishing of garden areas.

EXAMPLE OF USAGE

Garden areas



USAGE

The length of the edge depends on the number of connected modules, which is easy because of the construction of the lawn edges. The construction of the garden edge provides additional lateral stabilization. Thanks to anchors, the edge can be easily attached to the ground, there is also the possibility of attaching a cable or hose to the edge.

DATA LOGISTICS

Product	Type	Size	Quantity	Weight netto
OT	Carton box	100 x 40 x 20 cm (39 1/2" x 15 3/4" x 7 7/8")	80 pcs.	25,68 kg (56.61 lbs)
	Pallet	120 x 100 x 220 cm (47 1/4" x 39 1/2" x 86")	1 920 pcs.	616,32 kg (1 358.75 lbs)

ADDITIONAL ACCESSORIES

Metal strip for lawn edges - stainless steel **NOT-I**, Metal strip for lawn edges - zinc **NOT-Z**, Pin for fixing lawn edging **NAIL**, Plastic pin for fixing lawn edging **NAIL-PP**.

EXAMPLE OF LAWN EDGES APPLICATION

