

## Question: How to install pedestal decks with small cut tiles?

In the case of terrace installation using pedestals on small or irregularly shaped terraces, such as sloping walls or curves, there may be the need for cutting small-sized tiles. Installing them requires specialized skills and knowledge.

Below are photos of a project in which small-sized tiles needed to be cut during the installation..











DECK-DRY POLSKA SP. Z O.O. www.ddgro.eu

PHONE: +48 58 511-04-31 EMAIL: sales@ddgro.eu

Wenus 73A 80-299 GDAŃSK POLAND EU

Revision 1/2019 Page


Page 1 of 5

Revision date: 13 Feb. 2019



# Reducing the diameter of the base and the adjustable pedestal head.

Each pedestal has the capability to trim the base to a size that doesn't compromise the cup with threads and the threaded screw.





DECK-DRY POLSKA SP. Z O.O. www.ddgro.eu

PHONE: +48 58 511-04-31 EMAIL: <u>sales@ddgro.eu</u>


Wenus 73A 80-299 GDAŃSK POLAND EU

Revision 1/2019 Page 2 of 5



## Using a greater number of adjustable pedestals beneath the deck.

If it's possible, you can use additional pedestals in areas where there is room and sufficient space to place them.





DECK-DRY POLSKA SP. Z O.O. www.ddgro.eu

PHONE: +48 58 511-04-31 EMAIL: <u>sales@ddgro.eu</u>

Wenus 73A 80-299 GDAŃSK POLAND EU

Revision 1/2019


Page 3 of 5

Revision date: 13 Feb. 2019



#### Using a different model of adjustable pedestal with a smaller base and head.

In cases where trimming the base and head of the pedestal doesn't allow for the placement of a small tile element, you can opt for a pedestal model with a smaller diameter, such as the Standard Series or the SPIRAL Series.





DECK-DRY POLSKA SP. Z O.O. www.ddgro.eu

PHONE: +48 58 511-04-31 EMAIL: <u>sales@ddgro.eu</u> Wenus 73A 80-299 GDAŃSK POLAND EU



#### Support for stainless steel plates on the deck in case of tiny tile cuts.

In cases of very small tile cuts where trimming the base and head of the adjustable pedestal is not possible, we recommend using a stainless steel plate as support. Stainless steel plates serve as support for small, fine tile cuts. These plates should be adhered in the location where they are intended to be placed.





DECK-DRY POLSKA SP. Z O.O. PHONE: +48 58 511-04-31 www.ddgro.eu PHONE: +48 58 511-04-31 EMAIL: sales@ddgro.eu

Wenus 73A 80-299

GDAŃSK POLAND EU

Revision 1/2019

Page 5 of 5

Revision date: 13 Feb. 2019